



FILTER PRIMER—AIR TRAP

PRODUCT DESCRIPTION

CONSTRUCTED WITH ANODIZED ALUMINUM & POLY
CARBONATE TUBING

STAINLESS STEEL HARDWARE FOR ZERO RUST
CONTAMINATION

REMOVES AIR BUBBLES TRAPPED IN LUBE LINE BEFORE
ENTERING THE PUMP

PREVENTS AIR-LOCK IN THE SYSTEM
MANUAL AIR VENTING

AIR MOVES INTO THE AIR TRAP CHAMBER AND RISES TO
THE SURFACE, NEVER GETTING BACK INTO THE LUBE LINE

MESH SIZES AVAILABLE IN 100 MESH, 40 MESH, 25 MICRON,
10 MICRON, & 5 MICRON

REBUILD KITS AVAILABLE

MAX PRESSURE 150 PSI

FOR USE WITH OIL APPLICATIONS ONLY

BENEFITS & FEATURES

REMOVES AIR IN THE LUBRICATION LINE

ANODIZED ALUMINUM, NON STEEL
COMPONENTS FOR RUST FREE AIR FILTRATION

SLEEK, SCRATCH RESISTANT DESIGN

STAINLESS STEEL BRACKETS, STRAINERS, & TIE
RODS

MULTIPLE STRAINER MESH SIZES AVAILABLE

READY FOR IMMEDIATE SHIPMENT

MADE IN



WWW.LUBRICATIONSCIENTIFICS.COM

ORDERING INFORMATION & PART NUMBERS

FILTER PRIMER ASSEMBLY

STANDARD PACK: 1


PRODUCT DESCRIPTION	PART NUMBER
FILTER PRIMER - AIR TRAP	PPA-1500
FILTER PRIMER - AIR TRAP REBUILD KIT	PPA-1500-TRK
FILTER PRIMER WITH TRITAN TUBING - FOR LUBRICANTS WITH A HIGH DIESTER CONTENT *CONTACT SALES FOR ADDITIONAL SPECIFICATIONS	PPA-1500T



STANDARD PACK: 2 EACH


STRAINER MESH ASSEMBLIES	PART NUMBER
100 MESH	SF-250-100
40 MESH	SF-250-040
25 MICRON	SF-250-025
10 MICRON	SF-250-010
5 MICRON	SF-250-005

AIR TRAP DIMENSIONS





PPA-1500 OPERATION BREAKDOWN



1. Oil from reservoir is pumped into inlet(Inlet and outlet are interchangeable).
2. Oil with air passes through Filter Screen(Stand pipe included to for installation on inlet port).
3. Air collects in top of reservoir while oil travels down through outlet.
4. Bleed valve is used to release trapped air from reservoir.
5. Comes standard with 3" tall stand pipe. (Other sizes available upon request).

CONTACT US

IN THE USA, FIND YOUR STATE IN THE MAP BELOW, LOOK FOR THE REGION ID NUMBER AND FIND THAT NUMBER IN THE CONTACT INFORMATION CHART.



CONTACT INFORMATION CHART

1	Call Factory Direct - 877-452-0157	7	Richard Hanley - California - Santa Barbara, Ventura, Los Angeles, Orange, San Bernardino, Riverside, San Diego and Imperial Counties. Nevada - Clark County. Cell: 714-625-5539 Email: rth@lubricationscientifics.com
2	Call Factory Direct - 877-452-0157	8	California - All Counties not covered by Richard. Nevada - All Counties except Clark County. Call Factory Direct - 877-452-0157
3	Call Factory Direct - 877-452-0157		
4	Andy Kromer Cell: 440-364-4721 Email: aklub@lubricationscientifics.com	9	Call Factory Direct - 877-452-0157
5	Call Factory Direct - 877-452-0157	10	Call Factory Direct - 877-452-0157
6	Cory Walker Cell: 832-585-7065 Email: c.walker@lubricationscientifics.com		


Outside of the United States	Call Factory Direct - 877-452-0157
------------------------------	------------------------------------

Customer Service (877-452-0157)

- ◆ Order status & order entry
- ◆ Pricing inquiries
- ◆ Part number look-ups
- ◆ Product availability information
- ◆ Shipment assistance
- ◆ All other general inquires

www.lubricationscientifics.com

- ◆ Product information, specifications, literature
- ◆ Locate sales reps and distributors
- ◆ Operator & Repair manuals
- ◆ Distributer Information
- ◆ Place orders and check current pricing
- ◆ Product Pricing



LUBRICATION SCIENTIFICS, LLC

17651 ARMSTRONG AVE.

IRVINE, CA 92614

UNITED STATES OF AMERICA

TOLL FREE TEL: (877) 452-0157, LOCAL TEL: (714) 557-0664, FAX: (714) 546-4564

WWW.LUBRICATIONSCIENTIFICS.COM